

Product Specification

USB Skype Phone Adapter

LB-SP405


Approval: _____ (Signature)
_____ (Title)
_____ (Company)
_____ (Date)

(Please Sign Back by FAX. For Confirming the Spec Only, not an Official Agreement for OEM/ODM Business)

PRODUCT DESCRIPTION

LB-SP405 USB Skype phone Adapter provides you more convenience to make free call over the Internet from PC to PC anywhere as easy as using normal telephones. Simply plug the USB phone Adapter into the USB port of your PC, download Internet telephony software like Skype(TM), and you can start making calls. You can easily access the net and connect your friends, family members or colleagues. The phone Adapter is fully compatible with Skype and can be used as audio device with Yahoo Messenger, MSN Messenger, MS NetMeeting, net2phone, babble and etc for voice communication. Forwarding incoming Skype calls to any phone, forwarding your mobile phone call to Skype, and free 3-Way conference call between PSTN and Skype. It's designed similar to a mobile phone with quick dial and volume control buttons.

FIGURE



PRODUCT FEATURES

- Compatible with any standard telephone and cordless phones
- Full-duplex, echo-free sound quality
- Auto detection and switching of incoming PSTN or VoIP calls
- While you are away from your PC
 - Forward Incoming Skype calls to your mobile
 - Forward Incoming Skype calls to any number
 - Forward Incoming PSTN to Skype, making Skype Call from your mobile phone
- Free 3-Way Conference between VoIP and PSTN call
- Caller Id support for PSTN call
- Complies with VoIP standards (SIP, H.323) as well as all other proprietary protocols through seamless integration with third-party soft phone offerings
- Call waiting on PSTN and VoIP calls
- Record your call history and conversation. Can be playback anytime.

Gateway can be either stand vertically or horizontally. Also can be hooked under the table.

Hardware

Specification

- Telephony Interface: FXO, FXS
- USB port interface to PC
- Ring generation and detection
- LED indicators: Power, VoIP, PSTN
- Self powered USB
- Dimension: 99 mm x 99 mm x 29 mm

System Requirements Operating System:

- Windows 2000, XP
- Internet Connection (cable/DSL/other)
- 128MB RAM
- One available USB Connection

CASE DIMENSION: 99.0 mm(L) x 99.0 mm(W) x 29.0 mm(H)



CERTIFICATIONS

FCC Class B, CE Class B